


SOFT ANIMAL

Name: _____



CUTTING THE FABRICS

1. Fold the fabric
2. Place the pattern to the very edge of the fabric
3. Tag the pattern with pins
4. When you have all pieces ready,
ask the cutting permission from teacher!


YOU NEED:

- 2 x BODY
- 4 X EARS
- 4 X HANDS
- 4 X LEGS
- 2 X EYES
- (2 X TAIL)
- 1 X NOSE

SEWING THE SOFT ANIMAL

Sew the HANDS, LEGS and EARS:

1. Tag two pieces together with pins, right sides are facing
From four hand piece you will have two hands etc...
2. SEW pieces with straight stitch like in the picture. The edge of pressfoot is on the edge of the fabric.




**REMEMBER to go backwards
in the beginning and end**

3. Turn the pieces right side up

MAKE THE FACE TO YOUR SOFT ANIMAL:


4. Draw eyes, nose and mouth on the fabric. Note! Make the pieces so big that you can sew around! (if you want you can make the mouth from the tread, eyes from buttons, for example)
 - a. **Iron** piece of the IRON-ON ADHESIVE to the back side of the fabric (Use baking paper as a cover!)
 - b. **Cut** the figure carefully; follow the lines
 - c. **Remove** the cover-paper of the iron-on-adhesive
 - d. **Place the pieces on their right places**
 - e. **Iron** the pieces to their right places
 - f. **Sew a zigzag** or a **straight stitch** around the pieces

5. Place the hands, legs and ears on to their right places, but so that they are pointing inside (look the picture). Tag with pins.



6. Sew the pieces on to the body piece with straight sticth

7. Place the other body piece on top of the other, right sides are facing. Legs, Hands, ears and face are now between the pieces.
8. Tag carefully with pins. Sew with straight stitch so that the edge of the pressfoot is on the edge of the fabrics. **NOTE! Start sewing from the armpit, sew the toy around, but stop sewing about 4 cm before you reach the starting point (check the picture).** There will be a hole. REMEMBER to go backwards in the beginning and end.



9. Turn the toy right side up
10. Sew the hole by hand
11. Cut the threads!
12. READY!